

How to manage post-viral fatigue after COVID-19

Practical advice for people who have been treated in hospital

Post-viral fatigue is when you have an extended period of feeling unwell and fatigued after a viral infection.

Fatigue is a normal part of the body's response to fighting a viral infection such as COVID-19, it's also common after any serious or critical illness that requires being admitted to hospital. Fatigue is likely to continue for some time after the infection has cleared. It can make you sleep more, feel unsteady on your feet, make standing for long periods difficult, as well as affecting your ability to concentrate and your memory.

While you are in hospital



Rest

Rest is **very important** for your body as it fights off the infection. That's rest for both your body and mind. Keep television, phones and social media to a minimum. Relaxation, breathing and meditation can all support quality rest - the [NHS Apps Library](#) has free tools you can try. Sensory relaxation tools such as calming music can also help. If a strategy doesn't work for you, then try another one until you find one that does.



Sleep

You may find that you need more sleep during recovery. Hospitals are often noisy and bright environments, so eye masks and ear plugs may help.



Nourishment

Try keeping your normal routine for eating and drinking. If your appetite is low, eat little and often instead of big meals. Being ill with a temperature can make you dehydrated so make sure you drink when you're thirsty and enough so that you pass urine with normal frequency and volume. Your nurse or dietician can support you with this.



Move

Where possible, get up and move around slowly and gently a few times each day. This will keep your body mobile and help with circulation. Follow advice from your physiotherapist or multidisciplinary team and if in doubt, ask a member of staff.



Keep activity levels low

Both physical and cognitive (thinking) activities use energy. Try to do only a small number of these activities each day, including basic activities of daily living, such as washing and grooming.



Allow time

COVID-19 affects people differently, so give yourself the time to recover. You may feel pressure to resume your usual activities quickly, but **don't rush**.



Have fun

Do some low energy activities that you enjoy, like reading or watching TV, for short periods with regular rests.



How to manage post-viral fatigue after COVID-19

Practical advice for people who have been treated in hospital

Moving forward

You may start feeling better gradually. Your recovery from post-viral fatigue can take several months to a year or more. As you start to gradually improve, remember to keep a balance of quality **rest, routine and fun activities**. Stress and worry use energy, so give yourself time and be kind to yourself.

What if I am not improving?



Seek advice

- If after building up the pacing of your daily activities, you don't see any improvement in what you can do, then you should seek medical advice by speaking to your GP.
- Find out more about pacing your daily activities in the '[How to conserve your energy](#)' guide.
- If you continue to feel extremely fatigued, then specialist fatigue services may be available to provide further guidance. Ask your GP about referral options.

If you have any doubts, please seek medical advice via current routes.

Website links

NHS Apps Library: nhs.uk/apps-library

NHS Every Mind Matters: nhs.uk/oneyou/every-mind-matters/sleep

'How to conserve your energy' guide: rcot.co.uk/conserving-energy

This guide is produced by the Critical Care Forum, Royal College of Occupational Therapists Specialist Section – Trauma and Musculoskeletal Health in partnership with the Yorkshire Fatigue Clinic.

It is published by the Royal College of Occupational Therapists and is endorsed by the Intensive Care Society.

rcot.co.uk



Royal College of
Occupational
Therapists

